

# HOT KEYS

Key mappings for Vim and gVim.  
 Plug-in: <http://vim.sourceforge.net>  
 Fritz Mehner (mehner.fritz@fh-swf.de)

(i) insert mode, (n) normal mode, (v) visual mode

<i>Help</i>		
<code>^he</code>	English dictionary	(n,i)
<code>^ht</code>	start <code>texdoc</code>	(n,i)
<code>^hp</code>	help (plug-in)	(n,i)
<i>Comments</i>		
<code>[n]^c1</code>	end-of-line comment	(n, i, v)
<code>[n]^cj</code>	adjust end-of-line comments	(n, i, v)
<code>^cs</code>	set end-of-line comment col.	(n)
<code>[n]^cc</code>	toggle code comment	(n, i, v)
<code>^cfr1</code>	frame comment, type 1	(n, i)
<code>^cfr2</code>	frame comment, type 2	(n, i)
<code>^cfr3</code>	frame comment, type 3	(n, i)
<code>^ch</code>	file prolog	(n, i)
<code>^cm</code>	plug-in macros	(n, i)
<code>^cd</code>	date	(n, i)
<code>^ct</code>	date & time	(n, i)
<i>Document</i>		
<code>^dc</code>	document class	(n, i)
<code>^di</code>	indices	(n, i)
<code>^dti</code>	title	(n, i)
<code>^dbi</code>	bibliography	(n, i)
<code>^dac</code>	addcontentsline	(n, i)

<i>Text</i>		
<code>^e</code>	environment	(n, i, v)
<code>^ts</code>	section	(n, i)
<code>^to</code>	organization	(n, i)
<code>^tld</code>	list environment, description	(n, i)
<code>^tle</code>	list environment, enumerate	(n, i)
<code>^tli</code>	list environment, itemize	(n, i)
<code>^tll</code>	list environment, list	(n, i)
<code>^tlit</code>	list environment, item	(n, i)
<code>^tlil</code>	list environment, item+labels	(n, i)
<code>^tf</code>	font style	(n, i, v)
<code>^tfs</code>	font size	(n, i, v)
<code>^tq</code>	quotes, single	(n, i, v)
<code>^tqq</code>	quotes, double	(n, i, v)
<code>^tgq</code>	quotes, single, German	(n, i, v)
<code>^tgqq</code>	quotes, double, German	(n, i, v)
<code>^tfq</code>	quotes, single, French	(n, i, v)
<code>^tfqq</code>	quotes, double, French	(n, i, v)
<code>^tsp</code>	spacing	(n, i)
<code>^tsh</code>	hspace	(n, i)
<code>^tsv</code>	vspace	(n, i)
<code>^ta</code>	line alignment + spacing	(n, i, v)
<code>^ttc</code>	textcomp characters	(n, i)
<code>^tbi</code>	bibitem	(n, i)
<code>^tci</code>	cite	(n, i)
<code>^tfo</code>	footnote	(n, i)
<code>^tin</code>	index	(n, i)
<code>^tla</code>	label	(n, i)
<code>^tma</code>	marginpar	(n, i)
<code>^tco</code>	newcommand	(n, i)
<code>^tnc</code>	nocite	(n, i)
<code>^tpa</code>	pageref	(n, i)
<code>^tre</code>	ref	(n, i)
<code>^tur</code>	url	(n, i, v)

<i>Snippets</i>		
<code>^nr</code>	read code snippet	(n, i)
<code>^nv</code>	view code snippet	(n, i)
<code>^nw</code>	write code snippet	(n, i, v)
<code>^ne</code>	edit code snippet	(n, i)
<code>^ntl</code>	edit local templates	(n, i)
<code>^ntr</code>	reread templates	(n, i)
<code>^nts</code>	choose style	(n, i)
<i>Math</i>		
<code>^msp</code>	spaces	(n, i)
<code>^mac</code>	accents	(n, i)
<code>^mfs</code>	font styles	(n, i)
<code>^md</code>	delimiter	(n, i)
<code>^mf</code>	functions	(n, i)
<code>^mgl</code>	lowercase greek	(n, i)
<code>^mgu</code>	uppercase greek	(n, i)
<code>^mo</code>	operators	(n, i)
<code>^mr</code>	relations	(n, i)
<code>^mar</code>	arrows	(n, i)
<code>^me</code>	equation+label	(n, i, v)
<code>^mea</code>	eqnarray+label	(n, i, v)
<code>^mm</code>	matrix	(n, i)
<code>^mch</code>	choose	(n, i, v)
<code>^mddt</code>	ddot	(n, i, v)
<code>^mdt</code>	dot	(n, i, v)
<code>^mfr</code>	frac	(n, i, v)
<code>^mnr</code>	nth root	(n, i, v)
<code>^mpr</code>	prod	(n, i, v)
<code>^msq</code>	sqrt	(n, i, v)
<code>^msu</code>	sum	(n, i, v)
<code>^mve</code>	vec	(n, i, v)
<code>^mon</code>	operatorname	(n, i, v)

<b>Wizard</b>		
<code>'wll</code>	lstlisting	(n, i, v)
<code>'wlil</code>	lstinputlisting	(n, i)
<code>'nls</code>	lstset	(n, i)
<code>'wtt</code>	table	(n, i, v)
<code>'wttf</code>	table, floating	(n, i, v)
<code>'wtg</code>	tabbing	(n, i)
<code>'wtr</code>	tabular	(n, i)
<code>'wf</code>	figure	(n, i)
<code>'wff</code>	floatingfigure	(n, i)
<code>'wwf</code>	wrapfigure	(n, i)
<code>'wbf</code>	fbox	(n, i, v)
<code>'wbfr</code>	framebox	(n, i, v)
<code>'wbm</code>	mbox	(n, i, v)
<code>'wbmb</code>	makebox	(n, i, v)
<code>'wmp</code>	minipage	(n, i, v)
<code>'wbp</code>	parbox	(n, i, v)
<b>Run</b>		
<code>'rr</code>	save + run typesetter	(n, i)
<code>'rla</code>	save + run lacheck	(n, i)
<code>'rdvi</code>	view DVI	(n, i)
<code>'rpdf</code>	view PDF	(n, i)
<code>'rps</code>	view PS	(n, i)
<code>'rmi</code>	run makeindex	(n, i)
<code>'rbi</code>	run bibtex	(n, i)
<code>'rc</code>	run a converter	(n, i)
<code>'rh</code>	hardcopy buffer to FILENAME.ps	(n, i, v)
<code>'rse</code>	show plugin settings	(n, i)
<b>Tool Box</b>		
<code>'rm</code>	run make	(n, i)
<code>'rcm</code>	choose makefile	(n, i)
<code>'rnc</code>	make clean	(n, i)
<code>'rma</code>	command line arguments for make	(n, i)